

Posting Year:	Posting Date:	Posting #	Doc #
" Period:		Ref #	Initials:

**CITY OF ALLENTOWN BUDGET TRANSFER REQUEST FORM**

TO: Brent A. Hartzell, Director	FROM: Audrey Danek
BUREAU: Department of Finance	BUREAU: Risk Management

**TRANSFER DETAIL**

Date of Request: 8-Mar-19	Fund: Risk	Transfer Amount: \$8,800.00
---------------------------	------------	-----------------------------

**FROM (DEBIT)**

ACCOUNT (All 15 digits) and ACCOUNT TITLE	TRANSFER AMOUNT (\$)	ORIGINAL APPROPRIATION (\$)	CURRENT ACCOUNT TOTAL (\$)	ACCOUNT TOTAL AFTER TRANSFER (\$)
081-02-8001-0001-68 Operating Mat. & Supplies	8,800.00	27,000.00	24,502.90	15,702.90
				-
				-
				-
				-
				-
				-
				-
				-

**TO (CREDIT)**

081-02-8001-0002-72 <i>Equipment</i>	8,800.00	-	-	8,800.00
				-
				-
				-
				-
				-
				-
				-

**Reason Transfer is Required:**

To purchase 3 Unimac commercial washing machines in fire houses that do not currently have them. The total cost is \$17,602.92, including installation fees and a five-year warranty, and will be split between Risk and the Fire department. Risk seeks to increase firefighter safety under the PA Firefighter Cancer Presumption Act of 2011.

**Reason Funds are Available for Transfer:**

\$10,000 was budgetted in acct 68 for miscellaneous safety supplies. This transfer would move these funds into the correct account.

**TRANSFER AUTHORIZATIONS WITHIN & BETWEEN PROGRAMS**

<input type="checkbox"/>	Amount not more than \$5,000.00
<input checked="" type="checkbox"/>	Amount is greater than \$5,000.00
Department Head: <i>Melvin Sallu-Doran</i>	Date: <i>3/8/2019</i>
Director of Finance: <i>Brent Hartzell</i>	Date: <i>3/11/2019</i>
City Controller (if amount is greater than \$5,000): <i>[Signature]</i>	Date: <i>3-11-19</i>
Mayor or Managing Director (if amount is greater than \$5,000): <i>[Signature]</i>	Date: <i>3/12/19</i>
Referred to City Council in accordance with the provisions of the Administrative Code, Section 130.04:	Date:

**CITY COUNCIL**

Roger MacLean, President:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>3/20/19</i>
Julio Guridy, Vice President:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>3/13/19</i>
Daryl Hendricks, Councilperson:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>31-MARCH-19</i>
Candida Affa, Councilperson:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date:
Courtney Robinson, Councilperson:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>5/20/2019</i>
Ed Zucal, Councilperson:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>3/20/19</i>
Cynthia Mota, Councilperson:	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved	Date: <i>3/18/2019</i>





**SALES QUOTE**

**Quote & Branch Info**

Quote Expiration Date	5/31/2019	Created Date	2/20/2019
Quote Number	00044414	Branch	Super Laundry Philadelphia
Prepared By	Caswell Mullins	Remit To:	CSC ServiceWorks 35 Corporate Dr Suite 220 Burlington, MA 01803
<b>Sold To:</b>		<b>Ship To:</b>	
Bill to Name	Allentown Fire Company	Ship to Location	Allentown Fire Company - LR
Bill To	641 South 10th Street Allentown, PA 18103 US	Ship To	Multiple Fire Departments Allentown, PA 18103
Term ID	COD	Contact Name	Angela Marino
Terms Note	Finance or 20% Deposit with remaining balance due upon delivery.	Phone	(610) 437-7765
Delivery	Third Party	Email	angela.marino@allentownpa.gov
Warranty Parts	Manufacturer Warranty Only		

Quantity	Equipment	Product Description	Sales Price	Total Price
3.00	UCT030QN0FXU40B000	Unimac 30# Washer OPL M9 Micro Control 4 Sig Soap Brd 100G 200-240/50-60/1-3	\$5,331.20	\$15,993.60
3.00	ACBF30X6X110002	Speed Queen single 6" mounting base for SCN030 washer	\$270.59	\$811.77
1.00	FREIGHT NONTAXABLE	FREIGHT - NON TAXABLE	\$797.55	\$797.55

Final Delivery / Install Note	Remove & Dispose of existing equipment. Set, level, and program in place. Bolt down rigid-mount washers. Contractors referred by Super Laundry will be responsible for all utility hook up w/in 4 ft. of PROPER connections. Washer Programming will be responsibility of a separate chemical representative.*60 Day Labor Warranty upon install by Super Laundry*	<b>Subtotal</b>	\$17,602.92
		<b>Total Price</b>	\$17,602.92
		<b>Sales Tax Rate (%)</b>	0.000%
		<b>Estimated Sales Tax</b>	\$0.00
		<b>Grand Total w/Sales Tax</b>	\$17,602.92

Balance:

Buyer understands that Seller will be incurring substantial cost and expense during the term of delivery & installation and requires payment to be made upon completion. In the event credit is requested, I authorize CSC ServiceWorks, Inc. to update credit and financial information concerning the applicant from any source.

Signature of Purchaser

Date:

Sales Representative

Date:



## SALES QUOTE

### Terms & Conditions

- 1. Payment Terms.** Buyer must pay net amount of invoice in full within thirty (30) days of date of invoice, unless Sales Order provides otherwise. If payments for prior purchases are overdue, Seller may require payment by COD, certified check, cashiers' check, or bank wire transfer as a condition to further shipments. Seller reserves the right to withhold future shipments if any payment is more than thirty (30) days past due. All payments shall be in United States Dollars. Buyer agrees to a returned check fee of \$25.00. All payment disputes must be submitted in writing within thirty (30) days of invoice.
- 2. Shipment.** Unless otherwise noted in writing, all shipments are F.O.B. Shipping. Customer is responsible for shipping costs at all times, including warranty parts and returns.
- 3. Cancellation.** An order once placed with and accepted by Seller can be cancelled only with Seller's consent and upon terms that will indemnify Seller against loss.
- 4. Return Policy.** Products may be returned for up to thirty (30) days from purchase, except for discontinued items, gas/electrical parts and special orders, all of which are non-returnable. All returns are subject to a restocking fee of 15% of original purchase price.
- 5. Taxes.** The amount of the present or future sales, revenue, excise, or other taxes applicable to the products listed in invoice shall be added to the purchase price and shall be paid by the Buyer, or in lieu thereof, the Buyer shall provide Seller with a tax exemption certificate acceptable to the taxing authorities of any relevant jurisdiction.
- 6. Limitation of Liability.** IN NO EVENT SHALL SELLER BE LIABLE FOR (A) ANY ACTS OR OMISSIONS OF BUYER OR (B) ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, OR PUNITIVE DAMAGES, EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES, AND WHETHER BASED UPON CONTRACT, NEGLIGENCE, STRICT TORT, STATUTE, OR ANY OTHER LEGAL THEORY.
- 7. Warranties.** Seller shall pass to Buyer any warranties made available by the applicable manufacturer or vendor to the full extent that Seller is authorized to pass those benefits to Buyer. In the event of any claims arising out of or related to any product sold, Buyer shall look solely to the manufacturer or vendor of such product for defense, indemnification, or other applicable relief. **NO EXPRESS WARRANTIES AND NO IMPLIED WARRANTIES WHETHER OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR USE, OR OTHERWISE (EXCEPT AS TO TITLE), OTHER THAN THOSE EXPRESSLY SET FORTH ABOVE WHICH ARE MADE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, SHALL APPLY TO PRODUCTS SOLD, AND NO WAIVER, ALTERATION, OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AUTHORIZED SIGNATORIES OF BOTH PARTIES**
- 8. Seller's Right of Possession.** Seller shall have the right, in addition to all others it may possess, at any time, for credit reasons or because of Buyer's default or defaults, to withhold shipments, in whole or in part, or to recall goods in transit and Buyer consents that all the merchandise so recalled shall become Seller's absolute property. The foregoing shall not be construed as limiting, in any manner, any of the rights or remedies available to Seller.
- 9. Seller Makes No Representations.** Buyer acknowledges that Seller specifically does not guarantee any income or profits from the use of the products, and does not agree to re-purchase the products for any reason whatsoever. Seller represents that there is no charge for any marketing, training program, or trademark license granted in connection with this sale.
- 10. Buyer's Representations.** Buyer represents to Seller that Buyer is not relying on Seller's expertise nor on any representations or guarantees of any kind in order to utilize the products and/or services sold hereunder to begin or continue any business activity.
- 11. Force Majeure.** Seller's performance will be excused by the occurrence of conditions beyond its reasonable control, such as fires, explosions, floods, riots, labor disputes, shortages, accidents, acts of God, regulations, laws, or other events or circumstances that prevent or delay the Seller's performance.
- 12. Controlling Provisions.** These terms and conditions shall supersede any provisions, terms or conditions contained on any confirmation order, or other writing Buyer may give or receive, and the rights of the parties shall be governed exclusively by the provisions, terms and conditions of this order. Seller makes no representations or warranties concerning this order except such as are expressly contained in this order, and this order may not be changed or modified orally.
- 13. Purchase Order.** If Buyer's order form is used for the purpose of this transaction, it is expressly understood and agreed that the terms and conditions set forth in this Agreement shall prevail insofar as the same may in any way conflict with the terms and conditions set forth in such order form.



## SALES QUOTE

14.Choice of Law. The parties agree that these terms and conditions shall be governed by the Commonwealth of Massachusetts and any court of record in Massachusetts shall have jurisdiction in regard to any proceedings arising under these terms and conditions.



**UniMac**

Maximum Performance



**MAXIMUM BALANCE OF RESOURCES.  
SERIOUS RESULTS.**

UNIMAC.COM

**UC SERIES HARDMOUNT WASHER-EXTRACTORS 20-80 LB**

# UC SERIES HARDMOUNT 20-80 LB WASHER-EXTRACTORS

As the leading manufacturer of on-premises laundry equipment, UniMac® offers more than 7 decades of incomparable quality and long-lasting performance. Our UC series is built with unyielding construction to ensure industrial strength. Our cutting-edge innovations and technologies reduce costs and maximize throughput. And we're constantly improving. It's all part of our commitment to providing the lowest cost of ownership in the industry.



## LOWER YOUR COSTS WITH UNIMAC

- Faster extraction technology spins up to 200 G-Force to remove more water during each load, resulting in shorter drying times and lower energy bills.
- The proven technology and proprietary design of our advanced inverter drive provides smooth, reliable power for optimal wash and extract performance.
- Uses 7% less water, while maintaining optimal cleaning.
- Water Guardian leak detection reduces water consumption by detecting leaking fill or drain valves, identifying leaks before they cost your operation hundreds of dollars in wasted resources.



## OUR COMMITMENT TO ON-PREMISES LAUNDRY

Our customers are the direct focus of every product we manufacture and every decision we make. We make sure every piece of UniMac equipment comes with peace of mind and the support you need to help your business succeed. We are with you every step of the way with:

- Support from a worldwide network of distributors and a team of trained technicians.
- Service-parts availability.
- Service-training certification for distributors through Alliance Laundry Systems University.

## INDUSTRY-LEADING DURABILITY

The washer-extractor's heavy-duty, robotically welded frame is designed to stand up to the toughest laundry conditions. It's stronger than ever before, has a quieter operation and balances loads more efficiently.



Proudly based in Ripon, Wisconsin, USA, UniMac is dedicated to research, development and testing to provide equipment that delivers industrial strength and long-lasting quality. Our products undergo a 5-stage product-development process and are pushed beyond their limits in our state-of-the-art test lab to ensure they exceed the toughest demands of the commercial environment and meet our customers' highest standards.



## BEST-IN-CLASS BEARING PROTECTION

UniMac washer-extractors feature two close-tolerance ball bearings, permanently lubricated for trouble-free operation. Excluder seal and two triple-lip seals provide seven times the sealing power to isolate the bearings from water and chemicals.



## THREE CONTROL OPTIONS

UniMac's flexibility is emphasized by the three available levels of control.

### M30 CONTROL



(Up to 200 G-Force)

There are a total of 30 programs that you can modify to customize your laundry for specific needs. Special features include cycle time remaining, temperature-controlled fill, cycle counter, and test cycle for diagnostics. Also features 30 programmable water levels to reduce water use. Easily programmed through control's infrared port.

### M9 CONTROL



(Up to 200 G-Force)

Offers nine cycles that can be modified to meet your laundry's unique demands. Three water levels and up to five supply signals for automated dispensing of laundry chemicals. Cycle counter and test cycle for self-diagnostics.

### M4 CONTROL



(Up to 100 G-Force)

A four-cycle control for laundries with light soil and limited selection of linens. Limited diagnostic test.

## WORRY-FREE PERFORMANCE

For more than 70 years, UniMac laundry machines have set the industry standard for quality, durability and performance. A five-year warranty covers the frame, basket, shaft, bearings and seals from failure or breakage during normal operation due to defects in materials or workmanship. A limited three-year warranty is offered on all other parts.\*

\*Parts only, labor not included. See UniMac Warranty Bond for specifics.

## UC SERIES AT A GLANCE

- Improved cycle times
- Reduced drying time and increased throughput with up to 200 G-Force extraction speed
- Computer-optimized frame design stronger than ever before, with quieter operation
- Stainless-steel top and front panels
- Three different control options (M30, M9 and M4) offer flexibility and enhanced laundry management
- Offered in five capacity options (20, 30, 40, 60 and 80 lb)
- Heavy-duty bearings and seals
- Engineered for quick troubleshooting and ease of service
- Self-cleaning, four-compartment dispenser
- Large, heavy-duty loading door
- Steam and electric water-heating options
- Faster fill times – UC60 43%, UC80 20%



# UC SERIES HARDMOUNT WASHER-EXTRACTORS 20-80 LB

SPECIFICATIONS			UC20	UC30	UC40	UC60	UC80
Control Options			M4, M9, M30	M4, M9, M30	M4, M9, M30	M4, M9, M30	M4, M9, M30
Capacity - lb (kg)			20 (9)	30 (13.6)	40 (18)	60 (27)	80 (36)
Overall Width - in (mm)			26 (660)	29 (737)	30.6 (777)	34.1 (866)	41.5 (1054)
Overall Depth - in (mm)			30.9 (785)	35.3 (897)	42.3 (1074)	44.7 (1135)	47.1 (1196)
Overall Height - in (mm)			43 (1092)	45 (1143)	47.2 (1199)	49.9 (1267)	57.2 (1453)
Cylinder Diameter - in (mm)			21 (533)	24 (610)	26.3 (668)	30 (762)	36 (916)
Cylinder Depth - in (mm)			13.8 (351)	16 (406)	20.3 (516)	22 (559)	21.9 (556)
Cylinder Volume - cu ft (liters)			2.8 (79)	4.2 (119)	6.3 (178)	9.0 (255)	12.9 (365)
Door Opening Size - in (mm)			11.6 (295)	14.3 (363)	16.3 (414)	16.3 (414)	18.5 (470)
Door Bottom to Floor - in (mm)			14.4 (366)	14 (356)	14.6 (371)	14.9 (378)	17.9 (455)
Water Inlet Connection - in (mm)			2 x 0.75 (19)	2 x 0.75 (19)	2 x 0.75 (19)	4 x .75 (19)	4 x .75 (19)
Drain Diameter - in (mm)			1 x 3 (76)	1 x 3 (76)	1 x 3 (76)	1 x 3 (76)	1 x 3 (76)
Drain Center Height to Floor - in (mm)			3.9 (99)	4.3 (109)	4.5 (114)	4.9 (124)	5.1 (130)
Motor Power - HP (kW)			1 (0.75)	1 (0.75)	2 (1.5)	3 (2.25)	5 (3.75)
Total # of Speeds			6, 9	6, 9	6, 9	6, 9	6, 9
Cylinder Speed RPM ( G-Force)	Gentle	37 (0.4)	34 (0.4)	33 (0.4)	31 (0.4)	28 (0.4)	
		51 (0.8)	48 (0.8)	46 (0.8)	43 (0.8)	39 (0.8)	
	Distribution	92 (2.5)	86 (2.5)	82 (2.5)	77 (2.5)	70 (2.5)	
		301 (27)	282 (27)	269 (27)	252 (27)	230 (27)	
	Very Low Extract	518 (80)	485 (80)	464 (80)	434 (80)	396 (80)	
		579 (100)	542 (100)	518 (100)	485 (100)	443 (100)	
	High Extract	648 (125)	606 (125)	579 (125)	542 (125)	495 (125)	
		710 (150)	664 (150)	635 (150)	594 (150)	542 (150)	
	Ultra High Extract	819 (200)	766 (200)	733 (200)	686 (200)	626 (200)	
Voltage/Circuit Breaker FLA			No Heat				
			B 120/60/1	15-9	15-12	20-15	N/A
X	200-240/50-60/1-3	15-4 (1 Ph)	15-7 (1 Ph)	15-7 (1 Ph)	15-11 (1 Ph)	20-15 (1 Ph)	
		15-3 (3 Ph)	15-4 (3 Ph)	15-4 (3 Ph)	15-7 (3 Ph)	15-9 (3 Ph)	
Y	220-240/60/1-3	15-4 (1 Ph)	15-7 (1 Ph)	15-7 (1 Ph)	N/A	N/A	
N	440-480/50/60/3	15-4 (3 Ph)	15-4 (3 Ph)	15-4 (3 Ph)			
		15-2	15-3	15-3	15-4	15-6	
			Heat				
			N 440-480/50/60/3	15-14	15-14	30-22	30-22
Q	200-240/50/60/1-3	30-22	30-22	50-41	50-41	80-73	
Shipping Dimensions - in (mm)	Width	28 (711)	31.5 (800)	32.5 (826)	37.5 (953)	44 (1118)	
	Depth	33.8 (859)	38.3 (973)	43.5 (1105)	46.9 (1191)	54.5 (1384)	
	Height	49.4 (1255)	51.3 (1303)	53.6 (1361)	56.3 (1430)	59.6 (1488)	
Net Weight - lb (kg)			340 (154)	440 (200)	540 (245)	680 (308)	1250 (549)
Standard Shipping Weight - lb (kg)			380 (172)	480 (218)	580 (263)	720 (327)	1300 (572)
Slat Crate Shipping Weight - lb (kg)			460 (209)	580 (263)	680 (308)	840 (381)	1430 (628)
Agency Approvals			cULus	cULus	cULus	cULus	cULus

**TO LEARN MORE OR TO FIND A DISTRIBUTOR IN YOUR AREA, VISIT UNIMAC.COM**  
**ALLIANCE LAUNDRY SYSTEMS - SHEPARD ST, RIPON, WI 54971 - 1.800.587.5458**

Consult your UniMac distributor for details. For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems' Ripon facility have been registered to ISO 9001:2008.