

## Allentown

435 Hamilton Street Allentown, Pa. 18101

## Legislation Details (With Text)

File #: 15-4045 **Version**: 1 **Name**:

Type: Planning Commission Item Status: Agenda Ready

File created: 1/26/2021 In control: Planning Commission

On agenda: 2/9/2021 Final action: Enactment date: Enactment #:

Title: Request of A. Duie Pyle for the following waivers from the Land Development and Subdivision

Ordinance:

From Section 1377.03.A to permit a plan size of 30"x42".

From Section 1379.04.C.13 to permit a plastic impermeable liner in lieu of clay liner/core.

From Section 1379.04.D.2 to permit stormwater calculations to be prepared using the SCS Method

(TR-55) for a site under 200 acres, for consistency

with NPDES requirements.

From Section 1379.04.E.3 to permit high-density polyethylene (HDPE) pipe in lieu of reinforced

concrete pip (RCP) for on-site facilities.

From Section 1387.03.7.I to permit an orifice size of 1.0 inches in order to mete release rate

requirements in lieu of the 3-inch minimum required.

From Article 911.05.A.4 to permit street trees to be located beyond the street right-of-way due to an

existing high-voltage overhead line easement along

American Parkway and grading constraints along Airport Road and Irving Street.

Sponsors:

Indexes:

Code sections:

Attachments:

Date Ver. Action By Action Result

Request of A. Duie Pyle for the following waivers from the Land Development and Subdivision Ordinance:

From Section 1377.03.A to permit a plan size of 30"x42".

From Section 1379.04.C.13 to permit a plastic impermeable liner in lieu of clay liner/core.

From Section 1379.04.D.2 to permit stormwater calculations to be prepared using the SCS Method (TR-55) for a site under 200 acres, for consistency with NPDES requirements.

From Section 1379.04.E.3 to permit high-density polyethylene (HDPE) pipe in lieu of reinforced concrete pip (RCP) for on-site facilities.

From Section 1387.03.7.I to permit an orifice size of 1.0 inches in order to mete release rate

File #: 15-4045, Version: 1

requirements in lieu of the 3-inch minimum required.

From Article 911.05.A.4 to permit street trees to be located beyond the street right-of-way due to an existing high-voltage overhead line easement along American Parkway and grading constraints along Airport Road and Irving Street.