



Legislation Details

File #:	15-4045	Version:	1	Name:	
Type:	Planning Commission Item	Status:		Agenda Ready	
File created:	1/26/2021	In control:		Planning Commission	
On agenda:	2/9/2021	Final action:			
Enactment date:		Enactment #:			
Title:	Request of A. Duie Pyle for the following waivers from the Land Development and Subdivision Ordinance: From Section 1377.03.A to permit a plan size of 30"x42". From Section 1379.04.C.13 to permit a plastic impermeable liner in lieu of clay liner/core. From Section 1379.04.D.2 to permit stormwater calculations to be prepared using the SCS Method (TR-55) for a site under 200 acres, for consistency with NPDES requirements. From Section 1379.04.E.3 to permit high-density polyethylene (HDPE) pipe in lieu of reinforced concrete pip (RCP) for on-site facilities. From Section 1387.03.7.I to permit an orifice size of 1.0 inches in order to mete release rate requirements in lieu of the 3-inch minimum required. From Article 911.05.A.4 to permit street trees to be located beyond the street right-of-way due to an existing high-voltage overhead line easement along American Parkway and grading constraints along Airport Road and Irving Street.				
Sponsors:					
Indexes:					
Code sections:					
Attachments:					

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------