



Legislation Details (With Text)

File #:	15-4112	Version:	1	Name:	
Type:	Planning Commission Item	Status:		Agenda Ready	
File created:	2/24/2021	In control:		Planning Commission	
On agenda:	3/9/2021	Final action:			
Enactment date:		Enactment #:			

Title: 812 South Front Street, LMI-2020-00019 & SMI-2020-00014, request of Black Forest Engineering, LLC to waive Section 1385.11.B of the Land Development Controls Ordinance which requires that the horizontal distance from either the toe or top of an excavation or fill slope line shall be five (5) feet or one-half (1/2) the vertical height of the fill or excavation from any adjoining property or easement line, whichever is greater of the City's Land Development and Subdivision Ordinance (SALDO).

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

812 South Front Street, LMI-2020-00019 & SMI-2020-00014, request of Black Forest Engineering, LLC to waive Section 1385.11.B of the Land Development Controls Ordinance which requires that the horizontal distance from either the toe or top of an excavation or fill slope line shall be five (5) feet or one-half (1/2) the vertical height of the fill or excavation from any adjoining property or easement line, whichever is greater of the City's Land Development and Subdivision Ordinance (SALDO).